


POLISHING GROUP P2

Matt finish even on small surfaces

The polishing points in this group are available in the seven grit sizes shown below, and in a variety of shapes and sizes. They are colour-coded to prevent any confusion and to avoid any errors in the polishing process. The soft rubber bonding allows for a very soft grinding effect. Polishing points in the P2 group are mainly used on a pre-machined surface where a fine to gloss polished finish is required. Polishing wheels in this group are also available with a max. diameter of 200 mm in the indicated grit sizes. Exact dimensions and prices are available on request.




Product image				
Colour	black	pale grey	red	brown
Grit size	46	80	120	220

Product image			
Colour	green	white	orange
Grit size	280	400	600




P2 polishing point (as per DIN 69170)









■ manufactured as per DIN 69170

★★★

Product number	Description	Shape	Grit size	D mm	T mm	S mm	L ₂ mm	Pack contains
A2610004083080	P2ZY 0408.03		80	4	8	3	30	20
A2610004083120	P2ZY 0408.03		120	4	8	3	30	20
A2610004083220	P2ZY 0408.03		220	4	8	3	30	20
A2610004083280	P2ZY 0408.03		280	4	8	3	30	20
A2610004083400	P2ZY 0408.03		400	4	8	3	30	20 NEW
A2610004083600	P2ZY 0408.03		600	4	8	3	30	20 NEW
A2610005103080	P2ZY 0510.03		80	5	10	3	30	20
A2610005103120	P2ZY 0510.03		120	5	10	3	30	20
A2610005103220	P2ZY 0510.03		220	5	10	3	30	20
A2610005103280	P2ZY 0510.03		280	5	10	3	30	20
A2610006103080	P2ZY 0610.03		80	6	10	3	30	20
A2610006103120	P2ZY 0610.03		120	6	10	3	30	20
A2610006103220	P2ZY 0610.03		220	6	10	3	30	20
A2610006103280	P2ZY 0610.03		280	6	10	3	30	20
A2610006103400	P2ZY 0610.03		400	6	10	3	30	20 NEW
A2610006103600	P2ZY 0610.03		600	6	10	3	30	20 NEW
A2610008103046	P2ZY 0810.03		46	8	10	3	30	20
A2610008103080	P2ZY 0810.03		80	8	10	3	30	20
A2610008103120	P2ZY 0810.03		120	8	10	3	30	20
A2610008103220	P2ZY 0810.03		220	8	10	3	30	20
A2610008103280	P2ZY 0810.03		280	8	10	3	30	20
A2610008103400	P2ZY 0810.03		400	8	10	3	30	20 NEW
A2610008103600	P2ZY 0810.03		600	8	10	3	30	20 NEW
A2610008166080	P2ZY 0816.06		80	8	16	6	30	10
A2610008166120	P2ZY 0816.06		120	8	16	6	30	10
A2610008166220	P2ZY 0816.06		220	8	16	6	30	10
A2610008166280	P2ZY 0816.06		280	8	16	6	30	10
A2610010103046	P2ZY 1010.03		46	10	10	3	30	20
A2610010103080	P2ZY 1010.03		80	10	10	3	30	20
A2610010103120	P2ZY 1010.03		120	10	10	3	30	20
A2610010103220	P2ZY 1010.03		220	10	10	3	30	20
A2610010103280	P2ZY 1010.03		280	10	10	3	30	20
A2610010206080	P2ZY 1020.06		80	10	20	6	40	10
A2610010206120	P2ZY 1020.06		120	10	20	6	40	10
A2610010206220	P2ZY 1020.06		220	10	20	6	40	10
A2610010206280	P2ZY 1020.06		280	10	20	6	40	10
A2610013133080	P2ZY 1313.03		80	13	13	3	40	20
A2610013133120	P2ZY 1313.03		120	13	13	3	40	20
A2610013133220	P2ZY 1313.03		220	13	13	3	40	20
A2610013133280	P2ZY 1313.03		280	13	13	3	40	20
A2610013163120	P2ZY 1316.03		120	13	16	3	40	20

GRINDING AND POLISHING (with bonded tools)

Recommended for: ● Inox/Steel ● Steel ● Aluminium ● Cast material ● Titanium ● Plastic

Product number	Description	Shape	Grit size	D mm	T mm	S mm	L ₂ mm	Pack contains
A2610013206080	P2ZY 1320.06		80	13	20	6	40	10
A2610013206120	P2ZY 1320.06		120	13	20	6	40	10
A2610013206220	P2ZY 1320.06		220	13	20	6	40	10
A2610013206280	P2ZY 1320.06		280	13	20	6	40	10
A2610016163120	P2ZY 1616.03		120	16	16	3	40	20
A2610016206080	P2ZY 1620.06		80	16	20	6	40	10
A2610016206120	P2ZY 1620.06		120	16	20	6	40	10
A2610016206220	P2ZY 1620.06		220	16	20	6	40	10
A2610016206280	P2ZY 1620.06		280	16	20	6	40	10
NEW A2610016206400	P2ZY 1620.06		400	16	20	6	40	10
NEW A2610016206600	P2ZY 1620.06		600	16	20	6	40	10
A2610016326080	P2ZY 1632.06		80	16	32	6	40	10
A2610016326120	P2ZY 1632.06		120	16	32	6	40	10
A2610016326220	P2ZY 1632.06		220	16	32	6	40	10
A2610020206046	P2ZY 2020.06		46	20	20	6	40	10
A2610020206080	P2ZY 2020.06		80	20	20	6	40	10
A2610020206120	P2ZY 2020.06		120	20	20	6	40	10
A2610020206220	P2ZY 2020.06		220	20	20	6	40	10
A2610020206280	P2ZY 2020.06		280	20	20	6	40	10
A2610020326120	P2ZY 2032.06		120	20	32	6	40	10
A2610020326220	P2ZY 2032.06	220	20	32	6	40	10	
A2610020326280	P2ZY 2032.06	280	20	32	6	40	10	
A2610032206120	P2ZY 3220.06	120	32	20	6	40	10	
A2610032326120	P2ZY 3232.06	120	32	32	6	40	10	
A2610032326280	P2ZY 3232.06	280	32	32	6	40	10	
A2610040206120	P2ZY 4020.06	120	40	20	6	40	10	
A2611013206120	P2SP 1320.06		120	13	20	6	40	10
A2611020326220	P2SP 2032.06		220	20	32	6	40	10
A2615008083120	P2KU 0808.03		120	8	8	3	30	20
NEW A2615008083400	P2KU 0808.03		400	8	8	3	30	20
NEW A2615008083600	P2KU 0808.03		600	8	8	3	30	20
A2615010103120	P2KU 1010.03		120	10	10	3	30	20
A2615016166120	P2KU 1616.06		120	16	16	6	40	10
A2615016166220	P2KU 1616.06		220	16	16	6	40	10
A2617025106120	P2ZY 2510.06		120	25	10	6	40	10
A2617032106120	P2ZY 3210.06		120	32	10	6	40	10
A2617032106220	P2ZY 3210.06		220	32	10	6	40	10
A2617040106120	P2ZY 4010.06		120	40	10	6	40	10
A2618016326120	P2WR 1632.06		120	16	32	6	40	10
A2619010206080	P2KE 1020.06		80	10	20	6	40	10
A2619010206120	P2KE 1020.06		120	10	20	6	40	10

Recommended for:  Inox/Steel  Steel  Aluminium  Cast material  Titanium  Plastic